

PDS-320FZA



Synchronous Focus Mini Speed Dome

- 1) 1/3" SONY CCD, 420 /540 /600TVL
- 2) 4-9mm / 5-15mm / 8-20mm auto focus lens
- 3) With RS485 Remote Control
- 4) Memory function at accidental power -off
- 5) Support Pelco P / D Protocol

Application:

Mega pixel motorized zoom lens, remote control, main used in hotel, restaurant, school, office, bank, hospital, etc.

Product Features:

- 1) 1/3" SONY CCD, 420/540 / 600 TVL
- 2) 4-9mm / 5-15mm / 8-20mm auto focus lens (mega pixel)
- 3) 360 degree Pan rotation, 90 degree tilt rotation, speed: 0.5 - 40 degree / second
- 4) Min. Illumination: 0.01lux
- 5) 128 preset points
- 6) With RS485 Remote Control
- 7) Memory function at accidental function
- 8) Pelco D /P protocol

Technical Parameter:

Model	PDS-320FZA	PDS-320FZA
Image Sensor	1/3"SONY CCD	1/3"SONY CCD
Digital Singnal Processor	SONY DSP	SONY DSP
Signal System	PAL / NTSC	
Scanning System	2:1 Interlace	
Scanning Frequency(H)	NTSC:15.734KHZ , PAL:15.625KHZ	
Sync. System	Internal	
Horizontal System	540TVL	420TVL
Effective Pixels(HxV)	PAL:752x582	PAL:500x582
	NTSC:768x494	NTSC:510x492
Shuttle Speed	PAL=1/50 ~1/100,000 sec ; NTSC=1/60 ~1/100,000 sec	
Mini Illumination	0.01 Lux	
S/N Ratio	> 48dB (Auto Gain Off)	
Gamma	0.45	
Lens	4-9mm / 5-15mm / 8-20mm auto focus lens	
Focus Mode	Auto	
White Balance	AUTO	
BLC	Open	
Video Output	1.0V P-P,75Ω	
AGC	Auto	
Input/Output Connector	Power: 2 Pin Terminal/ RS-485: 2 Pin Circle Connector/ Video Output: 1 BNC Connector	
Power Voltage	Super Wide Voltage (8V~18V)	
CCD Consumption	120mA	80mA
Operating Temperature	-10 ~ 40℃ (relative humidity:the most 95%)	
Color	white/ silver	